

# Package: x13binary (via r-universe)

August 14, 2024

**Type** Package

**Title** Provide the 'x13ashtml' Seasonal Adjustment Binary

**Version** 1.1.61

**Date** 2024-06-23

**Description** The US Census Bureau provides a seasonal adjustment program now called 'X-13ARIMA-SEATS' building on both earlier programs called X-11 and X-12 as well as the SEATS program by the Bank of Spain. The US Census Bureau offers both source and binary versions -- which this package integrates for use by other R packages.

**License** file LICENSE

**Copyright** file inst/COPYRIGHT

**URL** <https://github.com/x13org/x13binary>

**BugReports** <https://github.com/x13org/x13binary/issues/>

**RoxygenNote** 7.2.3

**Encoding** UTF-8

**SystemRequirements** Fortran sources included in `tools/x13as\_html` are compiled via `configure`.

**Repository** <https://x13org.r-universe.dev>

**RemoteUrl** <https://github.com/x13org/x13binary>

**RemoteRef** HEAD

**RemoteSha** c7d0198181c9f09353da0136f5c18da6b0d40999

## Contents

x13binary-package . . . . .	2
checkX13binary . . . . .	2
supportedPlatform . . . . .	3
x13path . . . . .	3

<b>Index</b>	<b>4</b>
--------------	----------

x13binary-package

*Provide the 'X13-ARIMA-SEATS' Seasonal Adjustment Program*

---

**Description**

The US Census provides a seasonal adjustment program now called 'X-13ARIMA-SEATS' building on both earlier Census programs called X11 and X12 as well as the SEATS program by the Bank of Spain. Census offers both source and binary versions. This package integrates these for use by other R packages.

**Author(s)**

Dirk Eddelbuettel <edd@debian.org> and Christoph Sax

**References**

<https://www.census.gov/data/software/x13as.X-13ARIMA-SEATS.html>

---

checkX13binary

*Check if X-13ARIMA-SEATS Runs Properly*

---

**Description**

Performs a test run of X-13ARIMA-SEATS. Fails if no output is produced.

**Usage**

```
checkX13binary(fail.unsupported = FALSE, verbose = TRUE)
```

**Arguments**

fail.unsupported      logical, whether being on an unsupported platform leads to an error.  
verbose                logical, should a message be returned on success?

**Examples**

```
checkX13binary()
```

---

supportedPlatform      *Test Platform Support*

---

**Description**

Always returns TRUE.

**Usage**

supportedPlatform()

**Examples**

supportedPlatform()

---

x13path      *Full Path to X-13ARIMA-SEATS*

---

**Description**

Returns the full full path to the X-13ARIMA-SEATS binary contained in the package, or "" if the platform is unsupported.

**Usage**

x13path()

**Examples**

x13path()

# Index

\* **package**

x13binary-package, [2](#)

checkX13binary, [2](#)

supportedPlatform, [3](#)

x13binary (x13binary-package), [2](#)

x13binary-package, [2](#)

x13path, [3](#)